



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/966,309	09/28/2001	Dirk Kranendonk	25098A	5049
22889	7590	08/30/2006	EXAMINER	
OWENS CORNING			TORRES VELAZQUEZ, NORCA LIZ	
2790 COLUMBUS ROAD			ART UNIT	
GRANVILLE, OH 43023			PAPER NUMBER	

1771

DATE MAILED: 08/30/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/966,309	KRANENDONK, DIRK	
	Examiner	Art Unit	
	Norca L. Torres-Velazquez	1771	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 14 August 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-13 and 22-40 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13 and 22-40 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date: _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

- Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, **the finality of that action is withdrawn.**
- The amendment of claim 20 and Applicant's remarks have been entered and considered herein.

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 1 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Applicants have amended independent claim 1 to further recite the limitation "*said continuous coating being free of random discontinuities that increase porosity and which are susceptible to creating visible irregularities the surface is roller painted*". It is noted that there is no expressed or implied support in the specification for such limitation.

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter, which the applicant regards as his invention.

4. Claims 1 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as

Art Unit: 1771

the invention. It is noted herein that the language indicating that the porosity of the wall covering is reduced significantly is indefinite because the claim is NOT comparing to what is the reduced porosity compared to... is Applicant trying to refer to a reduction of the porosity of the non-woven fiber tissue or mat instead? The claim as written indicates that the thermoplastic polymer coating reduces significantly the porosity of the wall covering, it is not clear if Applicants are trying to indicate that by providing a thermoplastic polymer coating to a nonwoven fiber tissue or mat, the final product (the wall covering) would have a reduced porosity in comparison to a wall covering that do not have the claimed coating? It is noted that without any parameter that would allow one of ordinary skill in the art to determine what is the porosity of the claimed material, the claimed "reduced porosity" is indefinite.

5. Claims 8 and 30 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention because the Applicant has not provided copy of procedure used to measure the water vapor transmission rate by the DIN Standard 52615.

Claim Rejections - 35 USC § 102

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action

6. **Claims 1, 36, 40, 3-5, 9, 11-12, 22-23, 25-27, 31 and 33-34 are rejected under 35 U.S.C. 102(b) as being anticipated by JACKSON (US 5,876,551) and further evidenced by WO 95/07946 (Abstract) as stated in previous office action.**

JACKSON teaches a breathable, decorative wall-covering having a smooth, continuous, aesthetically appealing exposed surface which can be printed with a design or pattern having sharply defined edges, and having a relatively high moisture permeability. The wall covering

Art Unit: 1771

includes a porous polymeric ply fused to a nonwoven substrate ply. The porous polymeric ply is formed by thermally fusing a plastisol coating. The plastisol coating is thick enough to allow the formation of a coating, which upon thermal fusion provides a polymeric *ply having a smooth continuous appearance*. Upon heating the plastisol coating to a temperature, which is sufficient to cause fusion of resins contained therein, a highly permeable polymeric ply having the appearance of smooth, continuous film is formed. (Abstract) The reference further teaches that suitable resins used in the plastisols generally include a variety of thermoplastic resins, which are capable of fusing and absorbing the plasticizer upon application of heat. (Column 4, lines 62-67) It is noted that the use of resins such as polyethylene in plastisol to produce a coating material is known in the art as evidenced by the abstract of WO 95/07946. Further, JACKSON teaches the incorporation of titanium oxide, among other components, in the plastisol. (Column 5, lines 27-37) It is noted that the plastisol described by JACKSON is a dispersion. With regards to claim 22 and 34, JACKSON further teaches that the plastisol coating is preferably applied at a coating weight of from about 47 grams per square meter to about 155 grams per square meter. (Column 5, lines 52-57) With regards to claims 11 and 12, JACKSON teaches the use of mineral fibers in the nonwoven and also teaches that the area weight of the nonwoven is from about 47 gsm to about 61 gsm). (Column 4, lines 32 and lines 59-61) JACKSON also teaches that the two ply composite wall covering generally have a moisture permeability of from about 25 perms to about 50 perms. (Column 6, lines 42-44)

It is the Examiner's interpretation that the plastisol taught by JACKSON will read on the presently claimed thermoplastic polymer coating since the plastisol contains thermoplastic resins

Art Unit: 1771

in a dispersion. The nonwoven substrate ply is equated to the presently claimed nonwoven fiber tissue or mat.

Claim Rejections - 35 USC § 103

7. Claims 2, 8, 24, 30, 34 and 37 are rejected under 35 U.S.C. 103(a) as being unpatentable over JACKSON et al.

JACKSON et al. is silent with respect to the claimed surface tension of the coating surface tension and the water transmission rate. However, it is reasonable to presume that the claimed properties are inherent to the invention of JACKSON et al. Support for said presumption is found in the use of the same starting materials (i.e. fiber matt and thermoplastic polymer coating), like processes of making the articles (i.e., melting polymer of the matt), and the production of similar end-products (i.e., reinforced mineral fiber materials, etc...). The burden is upon the Applicant to prove otherwise. *In re Fitzgerald*, 205 USPQ 594. In the alternative, the presently claimed function of surface tension and water transmission rate would obviously have been provided as a result of the product of the JACKSON et al. reference. *Note In re Best*, 195 USPQ 433. Reliance upon inherency is not improper even though rejection is based on Section 103 instead of Section 102. *In re Skoner, et al.* (CCPA) 186 USPQ 80

8. Claims 10, 13, 32, 35 and 38-39 are rejected under 35 U.S.C. 103(a) as being unpatentable over JACKSON as applied above, and further in view of ISHII et al. (US 6,281,277 B1).

JACKSON et al. discloses the claimed invention except that it teaches the use of titanium oxide instead of titanium dioxide, ISHII et al. (US 6,281,277 B1) shows that titanium dioxide is an equivalent structure known in the art. Therefore, because these two pigments were art-

Art Unit: 1771

recognized equivalents at the time the invention was made, one of ordinary skill in the art would have found it obvious to substitute titanium oxide for titanium dioxide.

9. Claims 6-7 and 28-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over JACKSON, in view of ISHII et al. as applied above, and further in view of PENZ et al. (US 5,888,913).

PENZ et al. discloses glass matt reinforced thermoplastic and one of the object of their invention is to find glass matt reinforced thermoplastics with no insert visibility and that on the painted part satisfactory paint adhesion on the glass matt reinforcement thermoplastic surface is obtained without great expenditure. The reference teaches the addition of fine-particle, mineral fillers to enhance the paint adhesion. (Column 1, lines 64 – Column 2, lines 1-10)

The reference further teaches adding mineral fillers such as *talc*, chalk and barium sulfate at concentrations from 2 to 60% by weight to the thermoplastics. (Column 3, lines 14-18)

Since both JACKSON et al. and PENZ et al. are from the same field of endeavor, the purpose disclosed by PENZ et al. would have been recognized in the pertinent art of JACKSON et al.

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the thermoplastic polymer coating and provide it with mineral fillers with the motivation of obtaining a satisfactory paint adhesion on the glass matt reinforced thermoplastics as disclosed by PENZ et al. (Above).

10. Claims 13, 35 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over JACKSON and ISHII et al. as applied above, and further in view of MELBER et al. (US 4,898,892).

MELBER et al. discloses a method for making an opaque coating comprising combining a film forming coating binder and a composite opacifier. The reference teaches the use of

Art Unit: 1771

inorganic opacifier materials such as titanium dioxide and calcium carbonate. (Column 1, lines 36-45) On Table III, the reference teaches how the film thickness and volume of opacifier is necessary for 94% hiding. (Column 17, lines 6-23). With regards to claim 13, the claimed composition for the coating is known under the trademark product Papermatch as a dispersion of ground calcium carbonate and ground titanium dioxide in high density polyethylene and the prior art of reference teaches the use of these components, the ratio or ranges of concentration of these would be an obvious cause-effective variable that will depend on the intended refractive index of the opacifying component. (Refer to claims 1 and 3)

It would have been obvious at the time the invention was made to a person having ordinary skill in the art to modify the coating material to contain titanium dioxide with the motivation of providing the coating with “hiding” as disclosed by MELBER et al. (Above and also refer to column 2, lines 24-26).

Response to Arguments

11. Applicant's arguments filed April 5, 2006 have been fully considered but they are not persuasive.

- a. Applicants arguments indicate that the porosity of the combined structure that comprises the nonwoven and the thermoplastic polymer coating would have a reduced porosity and that claim 1 expressly requires that the porosity of the overall wall covering is reduced by the polymer coating covering the non-woven fiber tissue or mat. As noted in previous office actions the claim as written is indefinite as it indicates that the porosity is reduced but it doesn't indicate to what it is compared as to allow one of ordinary skill in the art to understand what is the claimed “reduced porosity”. It is noted that the claim

as written does not specify what is the porosity of the final product. It is necessary that the product be described with sufficient particularity that it can be identified so that one can determine what will and will not infringe. *Benger labs.It. v. R.K. Laros Co*; 135 USPQ 11; *In re Bridgeford* (CCPA 1966) 149 USPQ 55; *Locklin et al. v. Switzer Bros., Inc.* 131 USPQ 294. The Examiner suggests using, for example, a language that indicates that the porosity of the wall covering is reduced in comparison to a wall covering without the polymer coating, in order to establish a parameter of comparison since there are other factors such as the porosity of the nonwoven fiber tissue itself that would affect the overall porosity of the material.

b. With regard to the new matter rejection for the lack of support for the limitation that the coating is free of random discontinuities, it is noted that the cited case law of *In re Anderson*, 471 F.2d 1237, 176 USPQ 331 (CCPA 1973) *indicates that mere rephrasing of a passage does not constitute new matter. Accordingly, a rewording of a passage where the same meaning remains intact is permissible.* It is noted that the disclosure of the present invention fails to teach, disclose or imply what are the now claimed “random discontinuities”. While Figure 2 illustrates a layer of thermoplastic polymer 54, the reference does not teach what are “random discontinuities” as to provide support for the claimed continuous coating being free of “random discontinuities”.

c. Applicant’s arguments regarding the rejection over Jackson, refer to Figure 2 of the present application to indicate that the coating is free of random discontinuities. As stated in the previous office action, Figure 2 depicts the layers of the wall covering material, but still are not sufficient to define what is meant by “random discontinuities”. The disclosure is silent as to what these discontinuities are (i.e. microscopic or macroscopic discontinuities) Applicants argue that Jackson does not disclose, teach or

otherwise suggest a coating that covers the non-woven mat in a continuous fashion and free of random discontinuities, as shown in Applicant's Figure 2. Applicants indicate that the Jackson reference discloses a material having a surface with intentionally formed "randomly distributed discontinuities" and argue that these discontinuities are disadvantageous from the standpoint that they would more readily receive any paint roller-applied to the surface and magnify its imperfect, or "irregular" nature.

As stated before by the Examiner, the Jackson reference provides a breathable or moisture permeable wall covering having a porous polymeric ply, which is fused to and supported by a nonwoven substrate ply. The porous polymeric ply as a smooth, continuous aesthetically pleasing appearance, while simultaneously achieving a moisture vapor permeability which prevents moisture from being trapped on or within a wall to which the wall covering is applied. More specifically, the porous polymeric ply has a substantially macroscopic-continuity wherein a plurality or multiplicity of miniature or microscopic discontinuities or holes are randomly distributed. (Col. 2, lines 19-32) The Examiner equates such description as providing a continuous layer. It is noted that the present invention does not preclude having micropores, which are necessary in order to provide a material with gas permeability. Nor the specification indicates that the polymeric coating is a monolithic film.

While Figure 2 of the present application does not show "holes" or "pores", it is noted that the presence of certain porosity is recognized and desirable by the disclosure of the present application. (Refer to [0033]) The rejections over JACKSON are maintained herein since the microscopic discontinuities of the polymeric material of the reference do

not affect the continuity or smoothness of its outer or exposed surface when looked by the unaided eye. (Jackson, Col. 2, lines 32-34) Therefore, “visible irregularities” would not be created when roller painted since the discontinuities in the polymeric material are microscopic and are not visible by the unaided eye.

d. With regards to the combination of Jackson and Penz et al. Applicants argue that such combination is not proper. It is noted herein that the Penz et al. reference is directed to glass matt reinforced thermoplastics suitable for the production of paintable parts and teaches the inclusion of fillers to enhance paint adhesion. It is the Examiner’s interpretation that the combination of the references is proper as they both avoid having “smooth” surfaces; for example, to the degree that building up of a paint layer is not disturbed in any way by glass fibers protruding out of the surface as disclosed by Penz et al. (Refer to Col. 1, lines 64 – Col. 2, lines 1-4) With regards to creating a non-smooth outer surface as claimed, it is the Examiner’s interpretation that the degree of “smoothness” claimed in the present invention is that obtained by the inclusion of the fillers taught by Penz et al. that produces a surface with enhanced paint adhesion. Applicants had referred to Col. 2, lines 5-12 of Jackson to indicate that Jackson expressly teaches away from the inclusion of a mineral filler in the chemical composition of the polymeric coating to create a non-smooth surface. The Examiner has reviewed the cited passage and finds no correlation to applicant’s conclusion of teaching away. The cited passage is completely silent to the inclusion or exclusion of mineral fillers.

Art Unit: 1771


12. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Norca L. Torres-Velazquez whose telephone number is 571-272-1484. The examiner can normally be reached on Monday-Thursday 8:00-5:00 pm and alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on 571-272-1478. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Norca L. Torres-Velazquez
Primary Examiner
Art Unit 1771

August 23, 2006